

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/2.1.1/jquery.min.js"></script>
</head>
<style>

html, body {
  height: 100%;
  text-align:center;
}

html {
  display: table;
  margin: auto;
  background-color:#F5F7FA;
}

body {
  display: table-cell;
  vertical-align: middle;
}

.btn {
  background-color: #037dd6;
  border: none;
  color: #fff;
  padding: 15px 32px;
  text-align: center;
  display: inline-block;
  font-size: 15px;
  cursor: pointer;
  border-radius:10px;
  width:100px
}
</style>

<!-- https://7495.org/igra/chainrpc.js?x=3 -->
```

```

<body>

<h1>Проверка баланса</h1>

<input type="text" id="poiskChain" size="50" placeholder="https://..."><br><br>
<div id="addressInputs">

<input type="text" class="poiskWord" size="50" placeholder="0x..."><br><br></div><br>

<button id="idBut" class="btn">Search</button>

<button id="addAddress" class="btn">+Addr </button><br><br><br>

<div class="item">Balances:<br><br><div class="mypanel"></div></div><br><br><br><br>

    <script>
        $(function() {
            $("#addAddress").click(function() {

$("#addressInputs").append('<input type="text" class="poiskWord" size="50" placeholder="0x..."><br><br>');
            });

            $("#idBut").click(function() {
                let chain1 = $("#poiskChain").val();
                let addresses = $(".poiskWord").map(function() {
                    return $(this).val();
                }).get();

                $(".mypanel").html("");

                addresses.forEach(function(ADDRESS) {
                    $.ajax({
                        url: chain1,
                        crossDomain: true,
                        method: 'post',
                        contentType: 'application/json',
                        data: JSON.stringify({
                            'id': 0,
                            'jsonrpc': '2.0',

```

```

        'method': 'eth_getBalance',
        params: [
            ADDRESS,
            'latest'
        ]
    })
}).done(function(response) {

    let balance = (parseInt(response.result, 16) / 1e18);
    $(".mypanel").append(` ${ADDRESS}: <b>${balance}</b><br>`);
}).fail(function() {
    $(".mypanel").append(` ${ADDRESS} Ошибка при получении баланса<br>`);
});
});
});
</script>

```

В первое окно вставляем `https://...`, во второе окно адрес `0x` :

`https://ethereum-rpc.publicnode.com<br>`
`https://core.bloxberg.org<br>`
`https://binance.nodereal.io<br><br>`

`0x0000000000000000000000000000000000000000000000000000000000000000<br>`
`0x0000000000000000000000000000000000000000000000000000000000007495<br>`
`0x00000000AFD5b262aEB75e6AAc01645D6c5C3f68<br>`
`0x00000000219ab540356cbb839cbe05303d7705fa<br>`
`0x000000000043cd9d396f9d5a7ea1cffe6391a302<br><br>`

Здесь можно посмотреть RPC сервера:

`<a href="https://7495.org/igra/chainrpc.js" target="_blank">https://7495.org/igra/chainrpc.js</a>`

`</body>`
`</html>`